

Cleaning and Maintenance of Mats
Topwell standard (27 mm, 22 mm, 17 mm and 10 mm)
Topwell extra (27 mm, 22 mm, 17 mm and 10 mm)
Topwell super (27 mm, 22 mm and 17 mm)
Outdoor Mats

1. The mat is designed as an outdoor cleaning zone. It is assembled according to customer requirements from various inserted cleaning segments.
2. Accumulated coarse dirt that falls between the segments must be removed. The mat should be rolled up, and the dirt swept or vacuumed out. Dirt must also be removed from between the profiles.
3. This mat is self-supporting, and machine cleaning can be performed. This means that standard cleaning machines used in shopping centers can drive over it. Not suitable for traffic with pallet trucks and forklifts with small wheel diameters. If the mat is driven onto, only straight crossing without turning is required.
4. In case of wear and tear of the strips, they can be replaced in a standard way. For replacement, please contact the sales-technical representative for your region.
5. Pressure washing with hot water does not damage the mat. On the contrary, it is beneficial for removing salt crystal deposits after the winter season.
6. Cleaning the mat is recommended twice a year. In case of heavy soiling, the cleaning frequency should be adjusted as needed.



Cleaning and Maintenance of Mats

Topwell standard (27 mm, 22 mm, 17 mm and 10 mm)
Topwell extra (27 mm, 22 mm, 17 mm and 10 mm)
Topwell super (27 mm, 22 mm and 17 mm)
Indoor Mats

1. The mat is designed as an indoor cleaning zone. It is assembled according to customer requirements from various inserted cleaning segments.
2. Accumulated coarse dirt that falls between the segments must be removed. The mat should be rolled up, and the dirt swept or vacuumed out. Dirt must also be removed from between the profiles. The textile strip is intended for removing mechanical micro-impurities and moisture. Dirt from the textile strips is removed by machine beating. Heavy oil stains can be easily removed using regular detergents.
3. This mat is self-supporting, and machine cleaning can be performed. This means that standard cleaning machines used in shopping centers can drive over it. Not suitable for traffic with pallet trucks and forklifts with small wheel diameters. If the mat is driven onto, only straight crossing without turning is required.
4. In case of wear and tear of the strips, they can be replaced in a standard way. For replacement, please contact the sales-technical representative for your region.
5. Pressure washing with hot water does not damage the mat. On the contrary, it is beneficial for removing salt crystal deposits after the winter season.
6. Cleaning the mat is recommended twice a year. In case of heavy soiling, the cleaning frequency should be adjusted as needed.



Cleaning and Maintenance of a Mat Openwell Outdoor Mat

1. The mat is designed as an outdoor cleaning zone. It is most effective in removing pebbles, sand, dust, and other debris from footwear. Made from flexible rubber strips that move slightly under the weight of pedestrians, it creates a self-cleaning effect that helps remove coarse dirt automatically.
2. Traffic with heavy loads, such as forklifts, handling carts, cars, or trolleys with small-diameter wheels, is not recommended.
3. Accumulated coarse dirt that falls through the surface remains inside the mat. The mat should be rolled up, and the dirt swept or vacuumed out. Dirt must also be removed from between the segments.
4. Pressure washing with hot water does not damage the mat. On the contrary, it is beneficial for removing salt crystal deposits after the winter season.
5. If a rubber strip tears or another type of damage occurs, contact the sales-technical representative for your region.
6. Cleaning the mat is recommended twice a year. In case of heavy soiling, the cleaning frequency should be adjusted as needed.



Cleaning and Maintenance of a Mat Brushwell Outdoor Mat

1. The mat is designed as an outdoor cleaning zone. It is most effective in removing pebbles, sand, dust, and other debris from footwear.
2. Traffic with heavy loads, such as forklifts, handling carts, cars, or trolleys with small-diameter wheels, is not recommended.
3. Accumulated coarse dirt that falls through the surface remains inside the mat. The mat should be rolled up, and the dirt swept or vacuumed out. Dirt must also be removed from between the segments.
4. Pressure washing with hot water does not damage the mat. On the contrary, it is beneficial for removing salt crystal deposits after the winter season.
5. Cleaning the mat is recommended twice a year. In case of heavy soiling, the cleaning frequency should be adjusted as needed.



Cleaning and Maintenance of a Mat Lawell Outdoor / Indoor Mat

1. The mat is designed as an outdoor/indoor cleaning zone. It is assembled according to customer requirements from various inserted cleaning segments.
2. Accumulated coarse dirt that falls between the segments must be removed. The mat should be rolled up, and the dirt swept or vacuumed out. Dirt must also be removed from between the profiles. The textile strip is intended for removing mechanical micro-impurities and moisture. Dirt from the textile strips is removed by machine beating. Heavy oil stains can be easily removed using regular detergents.
3. This mat is self-supporting, and machine cleaning can be performed. This means that standard cleaning machines used in shopping centers can drive over it.
4. In case of wear and tear of the strips, they can be replaced in a standard way. For replacement, please contact the sales-technical representative for your region.
5. Pressure washing with hot water does not damage the mat. On the contrary, it is beneficial for removing salt crystal deposits after the winter season.
6. Cleaning the mat is recommended twice a year. In case of heavy soiling, the cleaning frequency should be adjusted as needed.



Cleaning and Maintenance of Mats Karwell and Oktava Outdoor Mats

1. The mat is designed as an outdoor cleaning zone. It is suitable for pedestrian traffic and vehicles weighing up to 2 tons.
2. Accumulated coarse dirt that falls through remains in the openings of the mat. The mat should be rolled up, and the dirt swept or vacuumed out.
3. Pressure washing with hot water does not damage the mat. On the contrary, it is beneficial for removing salt crystal deposits after the winter season.
4. Cleaning the mat is recommended twice a year. In case of heavy soiling, the cleaning frequency should be adjusted as needed.



Cleaning and Maintenance of a Mat Hardwell Indoor Mat

1. The mat is designed as an indoor cleaning zone. It is assembled according to customer requirements. The maximum size of one module is 260 × 60 cm, and it can be reduced to ensure the required area is evenly covered by individual modules.
2. Accumulated coarse dirt must be removed. The mat must be regularly vacuumed manually or by machine.
3. This mat is self-supporting, and machine cleaning can be performed. This means that standard cleaning machines used in shopping centers can drive over it.
4. Pressure washing with hot water does not damage the mat. On the contrary, it is beneficial for removing salt crystal deposits after the winter season.
5. Cleaning the mat is recommended twice a year. In case of heavy soiling, the cleaning frequency should be adjusted as needed.



Cleaning and Maintenance of Mats Shatwell, Cleanwell Atrium, Alba, Nomawell, Victoria, Catwell, Coconut, Fanwell and logo mats Indoor Mats

1. The mat is designed as an indoor cleaning zone. It is used for cleaning footwear from dry mechanical dirt and wet grime. The mat has high cleaning efficiency, maximum absorbency, and good retention of fine dust thanks to the structure of the material core. This means that the mat does not release dust back into the air.
2. Mechanical dirt must be regularly removed by vacuuming to prevent overfilling and loss of functionality. To enhance the mat's effectiveness, machine beating is also recommended.
3. Machine beating of the mat is recommended twice a year. In case of heavy soiling, the cleaning frequency should be adjusted as needed.

